



Product Service

Attestation of Compliance

No. N5A 092627 1800 Rev. 03

Holder of Certificate: **Hangzhou Hikvision Digital Technology Co.,Ltd.**

No.555 Qianmo Road
Binjiang District
310052 Hangzhou, Zhejiang
PEOPLE'S REPUBLIC OF CHINA

Product: **Camera**
Color Camera

This Attestation of Compliance is issued on a voluntary basis and confirms the compliance with the listed electrical safety standards for electrical equipment below 50 V AC or 75 V DC, which is below the voltage limits of the Low Voltage Directive 2014/35/EU. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 4842022067903

Date, 2022-11-16


(Bin Li)

Page 1 of 3

Other relevant European directives have to be observed. If they require CE marking, it may be affixed on the product after preparation of the necessary technical documentation as well as the EU declaration of conformity.

TÜV®

Attestation of Compliance

No. N5A 092627 1800 Rev. 03

Model(s):

DS-2CE17D0T-LFS, DS-2CE17D0T-LFS\ECO,
DS-2CE17D0T-LFSUHK, DS-2CE17D0T-LFSCKV,
DS-2CE17D0T-LFSUVS, DS-2CE17D0T-LFSKVO,
DS-2CE17D0T-LFSHUN, DS-2CE16D0T-LFS,
DS-2CE16D0T-LFS\ECO, DS-2CE16D0T-LFSSUHK,
DS-2CE16D0T-LFSCKV, DS-2CE16D0T-LFSUVS,
DS-2CE16D0T-LFSKVO, DS-2CE16D0T-LFSHUN,
DS-2CE16D0T-LPFS, DS-2CE16D0T-LPFSC\ECO,
DS-2CE16D0T-LPFSUHK, DS-2CE16D0T-LPFSCKV,
DS-2CE16D0T-LPFSUVS, DS-2CE16D0T-LPFSKVO,
DS-2CE16D0T-LPFSHUN, DS-2CE76D0T-LMFS,
DS-2CE76D0T-LMFS\ECO, DS-2CE76D0T-LMFSUHK,
DS-2CE76D0T-LMFSCKV, DS-2CE76D0T-LMFSUVS,
DS-2CE76D0T-LMFSKVO, DS-2CE76D0T-LMFSHUN,
DS-2CE76D0T-LPFS, DS-2CE76D0T-LPFS\ECO,
DS-2CE76D0T-LPFSUHK, DS-2CE76D0T-LPFSCKV,
DS-2CE76D0T-LPFSUVS, DS-2CE76D0T-LPFSKVO,
DS-2CE76D0T-LPFSHUN, DS-2CE78D0T-LFS,
DS-2CE78D0T-LFS\ECO, DS-2CE78D0T-LFSUHK,
DS-2CE78D0T-LFSCKV, DS-2CE78D0T-LFSUVS,
DS-2CE78D0T-LFSKVO, DS-2CE78D0T-LFSHUN,
DS-2CE16D0T-EXLF, DS-2CE16D0T-EXLF\ECO,
DS-2CE16D0T-EXLFUHK, DS-2CE16D0T-EXLFCKV,
DS-2CE16D0T-EXLNUVS, DS-2CE16D0T-EXLFKVO,
DS-2CE16D0T-EXLFHUN, DS-2CE16D0T-EXLPF,
DS-2CE16D0T-EXLPF\ECO, DS-2CE16D0T-EXLPFUHK,
DS-2CE16D0T-EXLPFCKV, DS-2CE16D0T-EXLPFUVS,
DS-2CE16D0T-EXLPFKVO, DS-2CE16D0T-EXLPFHUN,
DS-2CE76D0T-EXLMF, DS-2CE76D0T-EXLMF\ECO,
DS-2CE76D0T-EXLMFUHK, DS-2CE76D0T-EXLMFCKV,
DS-2CE76D0T-EXLMFUVS, DS-2CE76D0T-EXLMFKVO,
DS-2CE76D0T-EXLMFHUN, DS-2CE76D0T-EXLPF,
DS-2CE76D0T-EXLPF\ECO, DS-2CE76D0T-EXLPFUHK,
DS-2CE76D0T-EXLPFCKV, DS-2CE76D0T-EXLPFUVS,
DS-2CE76D0T-EXLPFKVO, DS-2CE76D0T-EXLPFHUN,
DS-2CE17D0T-EXLF, DS-2CE17D0T-EXLF\ECO,
DS-2CE17D0T-EXLFUHK, DS-2CE17D0T-EXLFCKV,
DS-2CE17D0T-EXLNUVS, DS-2CE17D0T-EXLFKVO,
DS-2CE17D0T-EXLFHUN

Parameters:

Rated input:

12V=, 275mA, 3.3W MAX:
DS-2CE16D0T-LFS,
DS-2CE16D0T-LFS\ECO, DS-2CE16D0T-LFSSUHK,
DS-2CE16D0T-LFSCKV, DS-2CE16D0T-LFSUVS,
DS-2CE16D0T-LFSKVO, DS-2CE16D0T-LFSHUN,
DS-2CE16D0T-LPFS, DS-2CE16D0T-LPFSC\ECO,

Page 2 of 3

Other relevant European directives have to be observed. If they require CE marking, it may be affixed on the product after preparation of the necessary technical documentation as well as the EU declaration of conformity.

Attestation of Compliance

No. N5A 092627 1800 Rev. 03

DS-2CE16D0T-LPFSUHK, DS-2CE16D0T-LPFSCKV,
DS-2CE16D0T-LPFSUVS, DS-2CE16D0T-LPFSKVO,
DS-2CE16D0T-LPFSHUN, DS-2CE76D0T-LMFS,
DS-2CE76D0T-LMFS\ECO, DS-2CE76D0T-LMFSUHK,
DS-2CE76D0T-LMFSKV, DS-2CE76D0T-LMFSUVS,
DS-2CE76D0T-LMFSKVO, DS-2CE76D0T-LMFSHUN,
DS-2CE76D0T-LPFS, DS-2CE76D0T-LPFS\ECO,
DS-2CE76D0T-LPFSUHK, DS-2CE76D0T-LPFSCKV,
DS-2CE76D0T-LPFSUVS, DS-2CE76D0T-LPFSKVO,
DS-2CE76D0T-LPFSHUN
12V-, 400mA, 4.8W MAX:
DS-2CE17D0T-LFS, DS-2CE17D0T-LFS\ECO,
DS-2CE17D0T-LFSUHK, DS-2CE17D0T-LFSCKV,
DS-2CE17D0T-LFSUVS, DS-2CE17D0T-LFSKVO,
DS-2CE17D0T-LFSHUN
12V-, 291mA, 3.5W MAX:
DS-2CE78D0T-LFS,
DS-2CE78D0T-LFS\ECO, DS-2CE78D0T-LFSUHK,
DS-2CE78D0T-LFSCKV, DS-2CE78D0T-LFSUVS,
DS-2CE78D0T-LFSKVO, DS-2CE78D0T-LFSHUN
DS-2CE16D0T-EXLF, DS-2CE16D0T-EXLF\ECO,
DS-2CE16D0T-EXLFUHK, DS-2CE16D0T-EXLFCKV,
DS-2CE16D0T-EXLNUVS, DS-2CE16D0T-EXLFKVO,
DS-2CE16D0T-EXLFHUN, DS-2CE16D0T-EXLPF,
DS-2CE16D0T-EXLPF\ECO, DS-2CE16D0T-EXLPFUHK,
DS-2CE16D0T-EXLPFCKV, DS-2CE16D0T-EXLPFUVS,
DS-2CE16D0T-EXLPFKVO, DS-2CE16D0T-EXLPFHUN,
DS-2CE76D0T-EXLMF, DS-2CE76D0T-EXLMF\ECO,
DS-2CE76D0T-EXLMFUHK, DS-2CE76D0T-EXLMFCKV,
DS-2CE76D0T-EXLMNUVS, DS-2CE76D0T-EXLMFKVO,
DS-2CE76D0T-EXLMFHUN, DS-2CE76D0T-EXLPF,
DS-2CE76D0T-EXLPF\ECO, DS-2CE76D0T-EXLPFUHK,
DS-2CE76D0T-EXLPFCKV, DS-2CE76D0T-EXLPFUVS,
DS-2CE76D0T-EXLPFKVO, DS-2CE76D0T-EXLPFHUN
12V-, 416mA, 5W MAX:
DS-2CE17D0T-EXLF, DS-2CE17D0T-EXLF\ECO,
DS-2CE17D0T-EXLFUHK, DS-2CE17D0T-EXLFCKV,
DS-2CE17D0T-EXLNUVS, DS-2CE17D0T-EXLFKVO,
DS-2CE17D0T-EXLFHUN

Protection class:

III

Degree of protection:

IPX0

**Tested
according to:**

EN 62368-1:2014/A11:2017

Page 3 of 3

Other relevant European directives have to be observed. If they require CE marking, it may be affixed on the product after preparation of the necessary technical documentation as well as the EU declaration of conformity.