

DS-TMG001-6
Barrier Gate Straight Pole





- Octagonal straight and telescopic pole

▪ Specification

Boom Pole	
Boom Pole Type	Octagonal Pole and Octagonal Telescopic Pole
Boom Pole Material	Aluminum Profile
Boom Pole Color	White Background with Red Bar
Boom Pole Dimensions	DS-TMG001-6(3m octagonal)(0.8mm): 3010 × 94 × 40 mm (118.5 × 3.70 × 1.57 inch) DS-TMG001-6(4m octagonal)(0.8mm): 4010 × 94 × 40 mm (157.87 × 3.70 × 1.57 inch) DS-TMG001-6(5m octagonal)(1.4mm): 5010 × 98 × 40 mm (197.24 × 3.86 × 1.57 inch) DS-TMG001-6(6m octagonal)(1.4mm): 6010 × 98 × 40 mm (236.61 × 3.86 × 1.57 inch) DS-TMG001-6(2.6-4m)(1.1+0.8mm): 2620 × 94 × 40 mm (103.15 × 3.70 × 1.57 inch) DS-TMG001-6(3.6-6m)(1.1+0.8mm): 3620 × 94 × 40 mm (142.52 × 3.70 × 1.57 inch)
Boom Pole Weight	DS-TMG001-6(3m octagonal)(0.8mm): 2 kg (4.41 lb) DS-TMG001-6(4m octagonal)(0.8mm): 2.6 kg (5.73 lb) DS-TMG001-6(5m octagonal)(1.4mm): 5.9 kg (13.01 lb) DS-TMG001-6(6m octagonal)(1.4mm): 6.9 kg (15.21 lb) DS-TMG001-6(2.4-4m)(1.1+0.8mm): 3 kg (6.61 lb) DS-TMG001-6(3.6-6m)(1.1+0.8mm): 4.4 kg (9.70 lb)
Boom Pole Dimensions (with Package)	DS-TMG001-6(3m octagonal)(0.8mm): 3030 × 110 × 60 mm (119.29 × 4.33 × 2.36 inch) DS-TMG001-6(4m octagonal)(0.8mm): 4030 × 110 × 60 mm (158.66 × 4.33 × 2.36 inch) DS-TMG001-6(5m octagonal)(1.4mm): 5030 × 120 × 60 mm (198.03 × 4.72 × 2.36 inch) DS-TMG001-6(6m octagonal)(1.4mm): 6030 × 120 × 60 mm (237.40 × 4.72 × 2.36 inch) DS-TMG001-6(2.6-4m)(1.1+0.8mm): 2640 × 110 × 60 mm (103.94 × 4.33 × 2.36 inch) DS-TMG001-6(3.6-6m)(1.1+0.8mm): 3630 × 110 × 60 mm (142.91 × 4.33 × 2.36 inch)
Boom Pole Weight (with Package)	DS-TMG001-6(3m octagonal)(0.8mm): 2.8 kg (6.17 lb) DS-TMG001-6(4m octagonal)(0.8mm): 3.8 kg (8.38 lb) DS-TMG001-6(5m octagonal)(1.4mm): 6.9 kg (15.21 lb) DS-TMG001-6(6m octagonal)(1.4mm): 8.2 kg (18.08 lb) DS-TMG001-6(2.4-4m)(1.1+0.8mm): 3.8 kg (8.38 lb) DS-TMG001-6(3.6-6m)(1.1+0.8mm): 5.6 kg (12.35 lb)

▪ Dimension





▪ **Accessory**

DS-TMG102



See Far, Go Further



www.hikvision.com
support@hikvision.com

